Midterm 3 Review - Math 243

1. Find all equilibrium solutions for the following nonlinear system.

$$\frac{dx}{dt} = xy - 4x$$
$$\frac{dy}{dt} = y - x^2 + 5$$

2. Consider the non-homogeneous linear system


$$\frac{d\mathbf{y}}{dt} = A\mathbf{y} + \mathbf{b}$$
, where $A = \begin{bmatrix} 1 & 3 \\ -1 & 1 \end{bmatrix}$ and $\mathbf{b} = \begin{bmatrix} -6 \\ 2 \end{bmatrix}$.

(a) Find the equilibrium point for the system.

(b) Find the general solution to the system above. Hint, the eigenvectors and eigenvalues of A are $\lambda_1 = 1 - \sqrt{3}i$ with $\mathbf{v}_1 = \begin{bmatrix} \sqrt{3}i \\ 1 \end{bmatrix}$ and $\lambda_2 = 1 + \sqrt{3}i$ with $\mathbf{v}_2 = \begin{bmatrix} -\sqrt{3}i \\ 1 \end{bmatrix}$.

(c) If we replace the constant vector \mathbf{b} above with the vector-valued function $\mathbf{b}(t) = \begin{bmatrix} -6e^{-t} \\ 2e^{-t} \end{bmatrix}$, then what would make a good guess for a particular solution \mathbf{y}_p for this new system?

3. Which of the following phase-portraits could show a Hamiltonian system? There might be more than one correct option.



4. Find a Hamiltonian function for the system

$$x' = 3y^2 + \cos x,$$

$$y' = 2x + y\sin x.$$

5. Consider the following forced harmonic oscillator.

$$y'' + 3y' + 2y = \cos 2t$$

- (a) What is the complexification of this differential equation?
- (b) Find a particular solution for this differential equation.
- (c) Find the general solution for this differential equation.
- (d) If this system represents a harmonic oscillator, is it overdamped or underdamped? How can you tell?

6. Consider the system

$$\frac{dx}{dt} = x^2 - y$$
$$\frac{dy}{dt} = x^2 - 1$$

$$\frac{dy}{dt} = x^2 - 1$$

- (a) Find all equilibria.
- (b) Use linearization (i.e., the Jacobian matrix) to classify each equilibrium point.

7. Consider the system

$$\frac{dx}{dt} = x\cos(xy)$$

$$\frac{dy}{dt} = -y\cos(xy)$$

(a) Show that the quantity $H(x,y) = \sin(xy)$ is a Hamiltonian function for the system.

(b) Sketch the level sets for this system. Hint: The level sets occur when xy is a constant. What does the graph of xy = c look like?

(c) Sketch the solution curve that passes through the point $(1, \pi)$. Be sure to indicate the direction of the solution.

8. Find general solutions to the following non-homogeneous equations.

(a)
$$y'' - y' - 6y = e^{4t}$$

(b)
$$y'' - y' - 6y = e^{2t}$$

$$(c) y'' + 4y = \cos(2t)$$

(d)
$$y'' + 2y' + 6y = 3t + 2$$